FILE NOTATIONS		
Entered in NID File Entered On S R Sheet Location Map Pinned Card Indexed I W R for State or Fee Land	Checked by Chief Copy N I D to Field Office Approval Letter Disapproval Letter	Managanan makaman Landada managanan
COMPLETION DATA: Date Well Completed OW WW TA GW OS PA	Location Inspected Bond released State of Fee Land	**************************************
LOGS	FILED	
Driller's Log	GR GR-N Naic Others	18 010

1

S_1000

4

Gulf Oil Corporation

CASPER PRODUCTION AREA

L. W. LeFavour
AREA PRODUCTION MANAGER
B. W. Miller
AREA EXPLORATION MANAGER

December 28, 1962

P. O. Box 1971 Casper, Wyo.

Utah Oil & Gas Conservation Commission 310 Newhouse Building Salt Lake City, Utah

InRe: Rule C-19

Gas-Oil Ratio Test

Wonsits Unit-Federal No. 6 ν

Gentlemen:

Test of November 30, 1962, showed the following:

011 145 barrels " Water 62 barrels 24 hours **Hours Tested** Normal Hours Produced 24 hours Gas-MCF 114 ~ 785 🗸 GOR 19/74" Cycle or Choke 1-3/4" Pump Bore 32.8° Gravity

Very truly yours,

J. D. Mackay

JEL:lek



Form 9-881 a. (Feb. 1981)

Copy H. L.C.
(SUBMIT IN TRIPLICATE)

Budget Bureau No. 42-R358.4.
Form Approved.

Land Office ... Sait Lake

Lease No. U=022158.....


Unit Wens its Valley

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	X Super	QUENT REPORT OF WATER SHUT-OFF	1
NOTICE OF INTENTION TO CHANGE PLANS		QUENT REPORT OF SHOOTING OR ACIDIZING	1
NOTICE OF INTENTION TO TEST WATER SHUT-		QUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAI		QUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.		QUENT REPORT OF ABANDONMENT	- 1
NOTICE OF INTENTION TO PULL OR ALIER CAS		EMENTARY WELL HISTORY	- 1
NOTICE OF INTENTION TO ABANDON WELL	1 1		
(INDICATE ABOVE	BY CHECK MARK NATURE OF	REPORT, NOTICE, OR OTHER DATA)	
Winsits Valley Unit-	Tederal -		, 194
ell No is located	90_ ft. from_ (s) lin	e and 1955 ft. from Wiline of sec.	7
K SV Section 7 8	(2)	(W)	•
(34 Sec. and Sec. No.)	Twp.) (Range)	(Meridian)	
led Mach (Field)	(County or Subdivision	(State or Territory)	
(Field)	(County of Education	, (Sease of Tellinory)	
e elevation of the derrick floor a	bove sea level is	* ft. *Will furnish late	DF
	DETAILS OF V	WORK	
		the contract of the contract o	
ate names of and expected depths to objective	sands; show sizes, weights, a points, and all other imports	and lengths of proposed casings; indicate mudding joint proposed work)	bs, ceme
ate names of and expected depths to objective ing	sands; show sizes, weights, s points, and all other imports	and lengths of proposed easings; indicate mudding joint proposed work)	bs, ceme
ing	points, and all other imports	ant proposed work)	be, ceme
ulf Pesignation: Wonsits	velley Unit-Fed	eral No. 6	be, ceme
ulf Pesignation: Wonsits	velley Unit-Fed	eral No. 6	t app
ing large in including the interest in the interest in the interest in interes	Velley Unit-Fed	erel No. 6 Lower Green River sands to an expressionately 200° and commented	n app
ing large in including the interest in the interest in the interest in interes	Velley Unit-Fed	erel No. 6 Lower Green River sands to a	n app
ing large in including the interest in the interest in the interest in interes	Velley Unit-Fed	erel No. 6 Lower Green River sands to an expressionately 200° and commented	n app
included proposed to drill a lepth of 6000'. -5/8" OB surface casing warface. If commercial parts.	veiley Unit-Fed well to test the lili be set at ap	erel No. 6 Lower Green River sands to an proximately 200° and comented owntored, 5-1/2° 00 oil string	to t
included proposed to drill a lepth of 6000'. 1-5/8" OB surface casing warface. If commercial parts. 11 possible producing hor	Veiley Unit-Fed well to test the lil be set at ap reduction is enc	erei No. 6 Lower Green River sands to an proximately 200° and comented ountered, 5-1/2° 00 oil string equately tested or evaluated in	to t
included proposed to drill a lepth of 6000'. 1-5/8" OB surface casing warface. If commercial parts. 11 possible producing hor	Veiley Unit-Fed well to test the lil be set at ap reduction is enc	erei No. 6 Lower Green River sands to an proximately 200° and comented ountered, 5-1/2° 00 oil string equately tested or evaluated in	to t
included proposed to drill a lepth of 6000'. 1-5/8" 00 surface casing warface. If commercial plats. 11 possible producing her of soring, drill stem test	Veiley Unit-Fed well to test the lill be set at ap reduction is enc lizons will be ad s, or electric is	erei No. 6 Lower Green River sands to an proximately 200° and comented ountered, 5-1/2° 00 oil string equately tested or evaluated it ogs.	to to to will
included proposed to drill a lepth of 6000'. 1-5/8" 00 surface casing warface. If commercial plats. 11 possible producing her of soring, drill stem test	Veiley Unit-Fed well to test the lill be set at ap reduction is enc lizons will be ad s, or electric is	erei No. 6 Lower Green River sands to an proximately 200° and comented ountered, 5-1/2° 00 oil string equately tested or evaluated in	to to to will
int designation: Mansita t is proposed to drill a lepth of 6000°. 1-5/8" 00 surface casing warface. If commercial parties of the producing hor of coring, drill stem test	Valley Unit-fed well to test the lili be set at ap reduction is enc- lzons will be ad s, or electric be electric be	erei No. 6 Lower Green River sands to an proximately 200° and comented numbered, 5-1/2° 00 oil string equately tested or evaluated it ogs.	to to to will
t is proposed to drill a lepth of 6000°. -5/8" 00 surface casing warface. If commercial pot. Il possible producing hor of soring, drill stem test	Veiley Unit-fed well to test the lili be set at ap reduction is enc lague will be ad s, or electric be elve approval in writing by the	president of the second state of the second state of the second s	to to to will
t is proposed to drill a lepth of 6000°. -5/8" 00 surface casing warface. If commercial pot. 11 possible producing hor of soring, drill stem test understand that this plan of work must recompany Rulf Oil Corpora	Velley Unit-fed well to test the lili be set at ap reduction is enc lizens will be ad s, or electric be elve approval in writing by the	erei No. 6 Lower Green River sands to an premimately 200° and camented camented camentered, 5-1/2° 00 oil string equately tested or evaluated it essentials. Colored Signed By	to t
t is proposed to drill a lepth of 6000°. 1-5/8** OB surface casing warface. If commercial pot. 11 possible producing hor of soring, drill stem test understand that this plan of work must recompany	Velley Unit-fed well to test the lili be set at ap reduction is enc lizens will be ad s, or electric be elve approval in writing by the	president of the second state of the second state of the second s	to t

T8S, R22E, SLB&M



X = Corners Located

Note: West 1/4 Cor. & S.W. Cor. re-established by proportionate measurement method.

W= Re-established corners 2" X 2" square hub

By: ROSS CONSTRUCTION CO. Vernal, Utah

Scale: I"= 1000'

Holson upor ahall

PARTY G. Stewart L. Taylor

WEATHER Clear-Warm

SURVEY
GULF OIL CORPORATION
WELL LOC. WONSITS VALLEY FED. UNIT NO.6
LOCATED AS SHOWN IN THE NE I/4, SW I/4, SEC. 7,
T8S,R22E, SLB&M. UINTAH COUNTY, UTAH.

DATE 3/25/63
REFERENCES
GLO Township Plat
Approved 5/19/45
FILE GULF

4 No

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Budge	et Bureau No. 42–R356.5.) 🧸
AND OFFICE	Salt Lake
LEASE NUMBER	U-022158
INIT Wons	ts Valley

Form approved.

LESSEE'S MONTHLY REPORT OF OPERATIONS

	į						-		h Fie			
	ī	wells) f	or th	e mor	ith of	, <u>A</u>	pril		, 19 63 ,			rilling and producing
												1 Corporation
	-											
	i	Phone .				2	3 5-5783			ent's title .	Area En	gineer
	=	SEC. AND 1/4 OF 1/4	Twp.	RANGE	WELL No.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	Cu. Fr. of Gas (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
				W	prese	60	ally 6	2001	1			
NE	NE	8	88	22E	1	0	0		0		0	Shut In
NE	NW	8			12	28	8,890		3.778*		91	
NE	NE	7			سهر	30	11,337		3,580*		57	
SW	NE	7		4	4-	29	14,190		4,257*		121	
NE	NW	7		,	5	7	3,319		rich.		10	
NE	N	7	Marine Constitution and	ورون بدرواد رادومسخان	6	annangan kul sasasan kabah lipsifik	p To the Policy of the Marie					Drilling 5811.
							37.736	28.4	11,615		279	
												* Gas production based on GOR
												** No GOR test
												1283 MCF lease fue
2 2		. S. (Comm	., Salt La	ike				
2		irea Iklaho	na Ci	ty D	str	ct				4.		
									War	sits Val	ley Unit-	Federa l
		Noт	E.—Tl	iere we	re	34,4	57	_ runs o	sales of oil;	No		M cu. ft. of gas sold;

runs or sales of gasoline during the month. (Write "no" where applicable.)

Note.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

Form 9-329 (January 1950)

16-25766-9 U. S. GOVERNMENT PRINTING OFFICE

Form 9-380

7

Form approved. Budget Bureau No. 42-R355.4.

U. S. Land Office Salt Lake
SERIAL NUMBER U-022158

LEASE OR PERMIT TO PROSPECT ...

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

	ATE WEL			rnorst	on	A 11	PΛ	Box 1971	l. Casper	Wyoming	
-	U					Addre					
										5059!	
Locatio	n 2090	ft. (6	of	Line a	nd 1955ft.	$\left\{ \begin{array}{c} \mathbf{E} \\ \mathbf{W} \end{array} \right\}$ of \mathbf{W}	Line of	ection /	Eleva	ation 5049	
					ailable rec						
Data	Jul	v 16.	1963		Sı	gned			Productio		
					ho conditi	on of the wel					
		-	- 1	-		63Finisl			, 1	10 63	
Comme	encea ari	mmg -	<i></i>		•					, 19	
				OI		S SANDS (Denote gas by G)					
No. 1,	from	5412	 	to51		No. 4			to		
							No. 5, from to				
						No. 6					
,						NT WATER					
No. 1,	from	None		_					to		
•											
,						ING RECO					
Size	Weight	Thre	ads per						Perforated		
casing	per foot	i	nch "	Make	Amount		Cut and pulled	Fro	то—	Purpose	
5/8/100	. 1 5## g≤	leirin⊉i or5n 8 i	h e y odi. g g k4 /rere	ive its size put A to te	and To Andra st for Softs .	FERGUSAGE P	<u> इ.सॅस्टिवे विग्निक्र</u> हर्षश्चित्र धडल्बे, इ	iten g ye.da osition, and	i <u>stison positio</u> results of pum	Surface Production	
I 1	s of the gre	datest ii	maortane	e to have a	complete his	stocy of the wei	I. Pleader hilbi	e in datail th	e dates of rede	illing, together nyis asing bris	
	·			} 	81 .08 7-6	-OIF-OK	GAS-WELL				
				· · · · · · · · · · · · · · · · · · ·		-				NE STANTING OF FOR	
				MUDI	ING ANI	CEMENT	ING PECO				
Size casing	Where s	et	Numbe	er sacks of ce	<u> </u>	Method used	Mud gra		Amount of n	nud used	
5/8"00	236				1 2% cc	Pump &	Plug				
1/2"00	5618	1	165 sac	ks wit	1 2% HA5	Pump &	Plug				

	·	1	IGS AND A			
		(th set
Adapters—	-Material		Size			
	!	SI	HOOTING R	ECORD		
Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out
			1			
		·		-		***************************************
				1		
T	1 16	auntaga e	TOOLS US		1.4	
						feet tofeet
Cable tools	were used from	t fe			and from	feet to feet
***************************************		, 19	DATES Pu	PUMP	ING lucing	May 14 , ₁₉ 63
The p	roduction for th	he first 24 hours w	as 355 1	barrels of	f fluid of which	100 % was oil;%
emulsion;	% water; a	and $$ % sedimen	t.		Gravity, °Bé	
If gas	well, cu. ft. per	24 hours	Gal	lons gaso	line per 1,000 c	u. ft. of gas
		er sq. in	1		- ,	o e e e e e e e e e e e e e e e e e e e
_	• •	•	EMPI OVE	EES		
Dell	son prilling	g Company , Drill	er	40 th mar 4 1		, Driller
•		, Drill	er			, Driller
		FO	RMATION I	RECORD	•	
FROM-	то-	TOTAL F	EET		FORMAT	TION
Surface	2587	2587	' Shal	e with	interbedded	sand
25871	4730	galast 2143	Shall	y-lime:	wish interbe	ddedsand and lime
5350 · · ·	5590	240 aug 2300 1	Saraba Sand			dded is south tool heinterbedded shale
5590'	58581	TD 268		y shale		an a nime i'a a i a a ma i
DHILL S	150 153 55 90	OPSTO				
		; ;				
E LOG TO		តែលេខ១០ខេត្ត មន្តិស រ	tands spac	ntorbe	त्यवर्	
Green Ri	yed samonto	258 7	jeen jarin 166 Terboriosi si	r saleg ez Titalen ibn	多子 结果1.4亿加强企业企业基本。	Anistom; jimoj ist.
Daga! MI	BELL LOSGINGS !	1 71/2/45 .27.	ļi.		Militar (Military) (1997)	of the fire with the order of the second
F-1 Sand	. srud s to	5390	Lect Hite			
F-5 Sand	i di shale	115412111 ME TO 1	maie bart	L		
G Sand	. Same	5558				
role vo	• V 11466176	1 740 1 200		1 1/*/Yi	. .21	
			1			
**** *********************************	sends cons,	Aury aleaning	.actualse.	toce se	क्ष समय एवंग्स	
Cure Vo.	• រួមនមារមន	. Sec. 10 Tells		* 1284200	netog 2 ₁	SEE REVERSE SIDE
COME VE		; 1	1			
		[!	Į:			

FORMATION RECORD Continued (OAE)

16-43094-5

E632(AFO.)

912 (12)

J:0-

FORMATION RECORD—Continued


FROM-TO-TOTAL FEET FORM ATION CORE RECORD Core No. 1, interval 5404 to 5435, cut 31, recovered 5 THE PERSONAL SIDE 5 sandstone, very highly fractured, good stain and odor Core No. 2. interval 5458' to 5537', cut 79', recovered 66' 6" Sand 2913' 6' shale 22' 6' silty limestone with shale partings sandstone vertical fractures 10'.6' sandstone in to good porpsity and permeability, vertical fractures, ABBBI MOLO excellent staining, bleeding gas and oil F FAR 1642 silty limestone with sandstone interbedded DRILL STEM TEST RECORD Set at 5514'. 30 gsi on sampling, initialeshut in and afinaleshut in 2170 psice is Hydrostatic 2670 psi. Recovered 20,000 pc water as fellows: 5640 cc formation swater, 18,400 ocafiltrate water, 3500 ccapibl, 20 cc sand enotines space of the Shale with inner ordored saud LOLVI MERC E86691 ... 3.0---FORMATION RECORD Delian Orilling Compen Driller EMPLOYEES Rock pressure, lbs. per sq. in. M gas well ca. It. per 24 hours Callons gasoline per 1,000 cu. ft. of gas emulsion; 10 water; and 1% sediment. Gravity, oB6. The production for the first \$4 hours was barrels of flatti of which \$6 was old; \$50 A LIMB TO OATES Cable tools werp weed from feet to and the section of th Rotary tools were used from 1.24 distance feet to affect a leet, and have an annual decide a managest Depth shot Adapters-historial True Petropet Contract to PLUCE AND APAPTERS

FAUR & NICK

MARM DIC

110

Form 9-881 a (Feb. 1951)



Sappe H. L. C.

(SUBMIT IN TRIPLICATE)

UNITED STATES **DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY**

Budget Bureau No. 42-R358.4. Form Approved.

Salt Lake Land Office

Unit Monsits Veiley

ess P. O. Box 1971				
pany Gulf Oil Corporati	Qf1			
4-63. Fraced perforations % Mancos crude and 11,500% th 140 barrels. Pressure nutes 1000 psi. Set bridg way radial jets. Fraced w ,613% glass beads. Spearh	glass bee 2400 psi, e plug at lith 50% Ma maded with	ds. Spearheaded with a injection rate 34 bpm, 54384. Perforated F-2 ncos Crude and 50% No. 225 barrels, flushed to	225 barrels of 151 1400 psi Sand at 5416 5 burner fundth 80 barre SEE REVERS	and fi 1, 30 3' with all and als. HE SID
ulf Designation: Wonsits V his well was drilled to a t a are submitting work subse	otal depth	of 5858° and PBTD 5590	O', completes	1 5-14
e names of and expected depths to objective san ing poin	ids; show sizes, we its, and all other i	ights, and lengths of proposed casings; i mportant proposed work)	ndicate mudding jobs,	. cement-
		OF WORK		
elevation of the abscirbed above	ve sea level is	5059 ft.		
(Field) Kelly Bushing	(County or Sub	division) (State	or Territory)	
(½ Sec. and Sec. No.) (Twp.	.) (Rang Ü intah	e) (Meridian)	J ta h	
l No. 6 is located 2090		er en	line of sec.	7
	 -	July 22		19 63
(INDICATE ABOVE BY	CHECK MARK NATU	JRE OF REPORT, NOTICE, OR OTHER DATA)		
OTICE OF INTENTION TO ABANDON WELL				
OTICE OF INTENTION TO SHOOT OR ACIDIZE OTICE OF INTENTION TO PULL OR ALTER CASING	! !	SUBSEQUENT REPORT OF ABANDONMEN SUPPLEMENTARY WELL HISTORY		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
OTICE OF INTENTION TO RE-DRILL OR REPAIR W		SUBSEQUENT REPORT OF RE-DRILLING		
		SUBSEQUENT REPORT OF ALTERING CA	SING	
OTICE OF INTENTION TO TEST WATER SHUT-OFF.		I .		

1).

cc: Utah 06G Cons. Comm. (2)

Area Production Manager

Treating pressure 2400 psi, injection rate 34 bpm. Screened out with 80 berrels flush in casing, 3600 psi. ISI 2500 psi, 20 minutes 2100 psi.

Before: Pumped 355 berreis oil per day, no water. After: Pumped 991 berreis oil per day, no water.

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

	Budget Bureau No		
AND OFFICE	Salt Lake	Cit	y
EASE NUMBE			
UNIT	Wonsits		

ESSEE'S MONTHLY REPORT OF OPERATIONS

State	Utal	<u> </u>		Co	untyUlr	ran	ons and proc	d <u>vons.</u> duction (i	ncludine d	rilling and	producin
The	follo	wing	is a	correct	report of	operau La com	ons and prod	inceron in	www.ng -		
wells) fo	r the	mont	h of		eptemb	<u>ur</u>	, 19.4,	····	.1.5 O(1 C	vnoratio.	,
Asent's	addr	ess P	0.	Box 2	619		Con	npany५١	7	i por actor	10. Q.
>	•	Ca	aspe	r. Wyo	ming 8260)1	Sign	redI. 4	Colored to Congre		Jan-
		3(07-2	35-578	33		.1ge	nt's title.	Senio	c Clerk	
Phone								GALLONS OF	BARDELSOF	REMA	RKS
SEC. AND	Twr.	RANGE	WELL No.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	Cu. Fr. or Gas (In thousands)	GASOLINE RECOVERED	WATER (If none, so state)	(If drilling, depth; date and result of content	test it r gastilde
SW 29	7s	22E	2	0	0		-		None	T.A.	
NE 32	75	22E	3	0	0		1 4-4-4	4.0	None	T.A.	
SE 32	7S	22E	4	0	0		-		None	T.A.	
NE 32	7S	22E	5	30	986		-		211		•
NE 5	88	22E	6	0	0	İ	-		None	T.A.	
SE 5	88	22E	. 7	0	0		•		None	T.A.	
NE 5	88	22E	8	0	0		•		None	T.A.	: m A
SE 32	7S	22E	9	0	0				None	Water In	J. 1.6.
SE 5	88	22E	10	0	0		•		None	T.A.	
SW 5	88	22E	11	0	0		-		None	T.A.	
SW 5	88	22E	12	0	0		•		None	T.A.	
SE 6	88	22E	13	. 0	0		•		None	T.A.	a m A
SW 6	88	22E	14	0	0		-		None	Water In	
SE 6	88	22E	15	0	0		-		None	Water In	
NW 6	88	22E	16	0	0		-		None	1 -	1-00
NE 5	85	22E	17	0	006	29.2			None 211	T.A.	
TOTAL	1		1		986	29.2	Ī				
						1	(1,07)		LIATE	R: (Barre	15)
)IL: (Ba	errel	<u>.s)</u>				GAS:	(MCF)		W/11	S.R. Charles	
						١, ,,	37.		Dier	osition_	211
n hand	begi	hning	of	month	735	Sold		ohe	Pit		0
Produce				h <u> </u>	986	Flar	od/Vented_ On/Off Lea	100 1 18		ect.ed	211
Sold du			١		844	usea *n	rchased fro	on Monsit			
Jnavoi.d	ahly	iost_	 		0		lley Unit	JII 401:310	7		
Reas		- 	<u> -</u>		877	va	Trey Unit				
On hand	at e	end of	ri mo	ntn	- 077			1			
				1							
2 - U.	S G.S	, SI			Comm						
2 - Ut	ah O	11 & (.∤\\$ a 14a	Cons.	TOREIL.					•	
		er an	u ma	chaugi	14011				+		
	oco			-							
	evro	1.3		1							
1 - JG									Wons	it Unit	·
1 - 00	١.		1				_1	!			

runs or sales of gasoline during the month. (Write "no" where applicable.) Note.-Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

Porm 9-329 (January 1970)

WELL WELL OTHER WELL STARM OF DELATOR Gulf Oil Corporation ADDRESS OF OPERATOR P. O. Box 2619, Casper, WY 82602 Location of well (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 2090' NS and 1955' EW 2090' NS and 1955' EW 15. ELEVATIONS (Show whether DF, ET, GR, etc.) 5059' KB 5049' GL 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data SOURCE OF INTENTION TO: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE CAMPBE PLANS (Other) Completion or Recompletion Report and Log form.)	nace for Federal or State office use)	
(Do not use this form for proposals to delid or to develop are this proposals.) We will a serve of the control	P C Karsey	DATE UCT. 16, 1978
OTHER OT	y certify that the foregoing is true and correct	Oct 16 1079
Other and the state of the stat		(91)
CDD not use this form for proposals to defill of to design or plant back to a different reservoir. OFFIRMAT—" for such proposals.) OFFIRMATE SUCH PROPOSALS.) OFFIRMAT		En Terrie
CDD not use this form for proposals to defill of to design or plant back to a different reservoir. OFFIRMAT—" for such proposals.) OFFIRMATE SUCH PROPOSALS.) OFFIRMAT		DIVISION & MILL
CDD not use this form for proposals to defill of to design or plant back to a different reservoir. OFFIRMAT—" for such proposals.) OFFIRMATE SUCH PROPOSALS.) OFFIRMAT		OCT OF OF WHITE
OTHER STATES SHIPT-OF PRESENTS TO STATES SHIPT-OF SHIPTING OF SHIP	erun pump and cable. Return well	RECEIVE 1978 No
ONE OF PREMITY NO. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data Source of Internation and measured and true vertical depths for all markers and consepance of Collection Proposals. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data Source of Internation and measured and true vertical depths for all markers and consepance of Collection and directionally drilled. give subsurface locations and measured and true vertical depths for all markers and consepance in the work.)* Mirch pulling unit.		A LO
OIL WE'LD OTHER OIL WALL OTHER OIL WALL OTHER OIL WALL OTHER OTHER OIL WALL OTHER OIL WALL OTHER OTHER OIL WALL OTHER OTHER OTHER OIL WALL OTHER OTHER OTHER OIL WALL OTHER OTHE		01/112/
(Do not use this form for proposals to drill or to despin or plug back to a different reservoir. Compared to the proposals of the proposals	perforate F-2 and F-5 sands with Reperforate the following interval	y yun wron 2 on
(Do not use this form for proposals to drill or to despend or plug back to a different reservoir. OTHER	Du	a aun with 2 JHPF
(Do not use this form for proposals to delil or to deepen or plug back to a different reservoir. T. Use APPLICATION FOR PERMIT—" for such proposals.) T. Use APPLICATION FO	OH w/ pump and electric cable.	: What the standard of the
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.) 7. UNIT AGREMENT NAME WONS I Valley Unit 8. PARM OR LEASE NAME WONS I Valley Unit/S 8. PARM OR LEASE NAME WONS I Valley Unit/S 8. PARM OR LEASE NAME WONS I Valley Unit/S 8. PARM OR LEASE NAME WONS I Valley Unit/S 8. PARM OR LEASE NAME WONS I Valley Unit/S 6. 10. FIELD AND POOL, OR WILLOAT WONS I ValleY 11. SEC., T., E., M., OR RLE. AND 12. COURT OR PERMIN 13. STATE WATER SHUT-OFF FOLL OR ALTER CASING FRACTURE TREAT SHOOTING OR ACIDIZE REPAIR WELL (Other) Reperforate 7. DESCRIPE TROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of startic proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones APPROVED BY THE DIVISION ONLY. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones. APPROVED BY THE DIVISION ONLY. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones. APPROVED BY THE DIVISION ONLY. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones.	RU pulling unit.	IIE: MARINE SA
(Do not use this form for proposals to delig or to deepen or plug back to a different reservoir. "Use "APPLICATION FOR PERMIT"" for such proposals.) 7. UNIT AGREEMENT NAME WONSIT Valley Unit **SPARM OR LEASE NAME WONSIT Valley Unit/S **SPARM OR LEASE NAME **OR LEASE NAME **OR LEASE NAME **OR LEASE NAME ***SPARM OR LEASE NAME **SPARM OR LEASE NAME **SPARM OR LEASE NAM	ure:	11/12/11
(Do not use this form for proposals to drill or to despen or plut back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.) 7. UNIT AGREEMENT NAME WONSIT Valley Unit 8. FARN OR LEASE NAME WONSIT Valley Unit/S 9. WELL NO. 6. PO. BOX 2619, Casper, WY 82602 DOCATION OF WELL (Report location clearly and in accordance with any State requirements." See also space 17 below.) At surface 2090' NS and 1955' EW 2090' NS and 1955' EW 7-8S-22E PERMIT NO. 15. ELEVATIONS (Show whether BF, RT, GR, etc.) 5059' KB 5049' GL Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data MOTICE OF INTENTION TO: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE BEPAIR WELL (Other) Reperforate Completion or Recompletion Report and Log form.) LOSSCEISE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting and give pertinent dates, including estimated date of starting and give pertinent dates, including estimated date of starting and give pertinent dates, including estimated date of starting and give pertinent dates, including estimated date of starting and give pertinent dates, including estimated date of starting and give pertinent dates, including estimated date of starting and give pertinent dates, including estimated date of starting and give pertinent dates, including estimated date of starting and give pertinent dates, including estimated date of starting and give pertinent dates, including estimated date of starting and give pertinent dates, including estimated date of starting and give pertinent dates, including estimated date of starting and give pertinent dates, including estimated date of starting and give pertinent dates, including estimated date of starting and give pertinent dates, including estimated date of starting and give pertinent dates, including estimated date of starting and give pertinent dates, including estimated date of starting and give pertinent dates, including estim	o this work.)	PROVED BY THE DIVISION OF
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.) 7. UNIT AGREEMENT NAME WONSIT Valley Unit 8. FARM OR LEASE NAME WONSIT Valley Unit/S 9. WELL NO. 9. WELL NO. 10. FIELD AND FOOL, OR WILDCAT See also space 17 below.) At surface 2090' NS and 1955' EW 2090' NS and 1955' EW 7-8S-22E 12. COUNTY OR FARIER 13. STATE SITUATION TO: 15. ELEVATIONS (Show whether DF, RT, GR, etc.) 5059' KB 5049' GL Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE CHANGE PLANS X COMMITTIES COMPILED ABANDON* CHANGE PLANS X COMMITTIES COMPILED ABANDON REPORT and Log form.) (Other) (Nort: Report results of multiple completion Report and Log form.)	PROPOSED OR COMPLETED OPERATIONS (Clearly state all period work. If well is directionally drilled, give subsurface	t dates, including estimated date of starting a vertical depths for all markers and zones per
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.) 7. UNIT AGREEMENT NAME WONSIT Valley Unit 8. FARM OR LEASE NAME WONSIT Valley Unit/S 9. WELL NO. ADDRESS OF OPERATOR P. O. BOX 2619, Casper, WY 82602 LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 2090' NS and 1955' EW 7-8S-22E PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.) 5059' KB 5049' GL Uintah Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE ABANDON* 7. UNIT AGREEMENT NAME WONSIT Valley Unit/S 9. WELL NO. 6 10. FIELD AND FOOL, OR WILLDEAT WONSIT Valley 11. SEC., T., Z., M., OR BLK. AND 12. COUNTY OR PARISH 13. STATE Uintah Utah Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data SUBSEQUENT REPORT OF: REPAIRING WELL ALTERING CASING ABANDONMENT*	Roportorate	Recompletion Report and Log form.)
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.) 7. UNIT AGREEMENT NAME WONSIT Valley Unit 8. FARM OR LEASE NAME WONSIT Valley Unit/S 9. WELL NO. ADDRESS OF OPERATOR P. O. Box 2619, Casper, WY 82602 LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 2090' NS and 1955' EW 7-85-22E PERMIT NO. 15. ELEVATIONS (Show whether DF, ET, GR, etc.) 5059' KB 5049' GL Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data SOUTICE OF INTENTION TO: TEST WATER SHUT-OFF FRACTURE TREAT WATER SHUT-OFF FRACTURE TREATMENT ALTERING CASING WATER SHUT-OFF FRACTURE TREATMENT ALTERING CASING AND WONSIT Valley 10. FIELD AND FOOL, OR WILDCAT WONSIT Valley 11. SEC., T., R., M., OR BLK. AND SUBSEQUENT REPORT OF: WATER SHUT-OFF FRACTURE TREATMENT ALTERING CASING ALTERING CASING TEST WATER SHUT-OFF FRACTURE TREATMENT ALTERING CASING	DR ACIDIZE ABANDON*	
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT" for such proposals.) 7. Unit agreement name Wonsit Valley Unit 8. FARM OR LEASE NAME Wonsit Valley Unit/S 8. FARM OR LEASE NAME Wonsit Valley Unit/S 9. WELL NO. ADDRESS OF OPERATOR P. O. BOX 2619, Casper, WY 82602 LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 2090' NS and 1955' EW 7-8S-22E 15. ELEVATIONS (Show whether DF, ET, GR, etc.) 5059' KB 5049' GL Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data BOTICE OF INTENTION TO: EPPAIRING WELL EPPAIRING WELL EPPAIRING WELL EPPAIRING WELL TO UNIT AGREEMENT NAME Wonsit Valley Unit/S 10. FIELD AND FOOL, OR WILDCAT WONSIT Valley 11. BEC., T., E., M., OR BLE. AND 12. COUNTY OR PARISH 13. STATE Uintah Uitah Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data BOTICE OF INTENTION TO:	ALLE SALVE COMPLETE	T ALTERING CASING
OIL USE "APPLICATION FOR PERMIT—" for such proposals.) 7. UNIT AGREEMENT NAME WELL OTHER WONSIT Valley Unit 8. FARM OR LEASE NAME WONSIT Valley Unit/S ADDRESS OF OPERATOR P. O. BOX 2619, Casper, WY 82602 LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 2090' NS and 1955' EW 7-85-22E 15. ELEVATIONS (Show whether DF, ET, GR, etc.) 5059' KB 5049' GL Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data		
OIL USE "APPLICATION FOR PERMIT—" for such proposals.) 7. UNIT AGREEMENT NAME WORSIT Valley Unit 8. FARM OR LEASE NAME WONSIT Valley Unit/S ADDRESS OF OPERATOR P. O. BOX 2619, Casper, WY 82602 LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* WONSIT Valley 10. FIELD AND FOOL, OR WILDCAT WONSIT Valley 11. SEC., T. R., M., OR BLE. AND 12. COUNTY OR PARISH 13. STATE 4. PERMIT NO. 15. ELEVATIONS (Show whether DF, ET, GR, etc.) 5059' KB 5049' GL Uintah Utah		
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT" for such proposals.) 7. UNIT AGREEMENT NAME WORSIT Valley Unit 8. FARM OR LEASE NAME WORSIT Valley Unit/S 9. WELL NO. 6 10. FIELD AND POOL, OR WILDCAT See also space 17 below.) At surface 2090' NS and 1955' EW 7-85-22E 12. COUNTY OR PARISH 13. STATE		
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.) 7. UNIT AGREEMENT NAME WONSIT Valley Unit 8. FARM OR LEASE NAME WONSIT Valley Unit/S ADDRESS OF OPERATOR P. O. BOX 2619, Casper, WY 82602 LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 2090' NS and 1955' EW	io. 15. ELEVATIONS (Show when	12. COUNTY OR PARISH 13. STATE
OIL WE'LL X WELL OTHER OIL OTHER OIL OTHER OIL OTHER OIL OTHER OTHE	NS and 1955' EW	
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.) 7. UNIT AGREEMENT NAME WORSIT Valley Unit NAME OF OPERATOR Gulf Oil Corporation ADDRESS OF OPERATOR P. O. Box 2619, Casper, WY 82602 LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*		11. SEC., T., R., M., OR BLK. AND
OIL WELL OTHER OTHER WELL OTHER WORST Valley Unit S. FARM OR LEASE NAME WORST Valley Unit/S ADDRESS OF OPERATOR (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. T. UNIT AGREEMENT NAME WONSIT Valley Unit/S WONSIT Valley Unit/S 9. WELL NO.	or well (Report location clearly and in accordance with	10. FIELD AND POOL, OR WILDCAT
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.) 7. UNIT AGREEMENT NAME WE'L X WELL OTHER NAME OF OPERATOR CALL COMPONATION WONSIT Valley Unit/S	OF OPERATOR	
OIL WELL X WELL OTHER OTHER OTHER OTHER SERVICE OTHER		Wonsit Valley Unit/ST-
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)	WELL OTHER	
SUNDRY NOTICES AND REPORTS ON WELLS (The not use this form for proposals to drill or to deepen or plug back to a different reservoir.	Use "APPLICATION FOR PERMIT—" for s	7. UNIT AGREEMENT NAME
	SUNDRY NOTICES AND REPORT	
GEOLOGICAL SURVEY U-022158 6. IF INDIAN, ALLOTTEE OR TRIBE N	GEOLOGICAL SURVEY	U-022158 6. IF INDIAN, ALLOTTEE OR TRIBE NAME
	DEPARTMENT OF THE INT	

TE OF UTAH DEPARTMENT OF NATURAL RESOURCES

TRIPLICATE* **SUBMIT** (Othe ructions on reverse side)

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	5. LEASE DEBIGNATION AND SERIAL NO.
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)	6. IF INDIAN, ALLOTTEB OR TRIBE NAME
1.	7. UNIT AGREEMENT NAME
OIL GAS WELL OTHER	S. FARM OR LEASE NAME
Gulf Oil Corporation	Wonsits Valley Federal Unit
8. ADDRESS OF OPERATOR	East of Tank Battery #3
P.O. Box 2619, Casper, WY 82602-2619 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.	
See also space 17 below.) At surface	Wonsits Valley 11. BBC., T., B., M., OR BLE. AND BURNEY OF AREA
	Section 7-T8S-R22E
14. PERMIT NO. 15. BLEVATIONS (Show whether DF, RT, GR, etc.)	12. COUNTY OR PARISH 18. STATS Uintah Utah
D. T. I. II. a. M. a. a. (Marian Panast	
16. Check Appropriate Box To Indicate Nature of Notice, Report,	BESQUENT REPORT OF:
(Other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all) pertinent details, and give pertinent of this work. If well is directionally drilled, give subsurface locations and measured and true of nent to this work.) Listed below are the details of the spill that occur battery #3. The Division was notified of this spill by This spill was discovered on March 20, 1984 at 1:00 oil back-flowed through a faulty check valve at the batt open-ended abandoned flowline. Approximately 150 barrel water were spilled. No oil or water was recovered. The oil and water flowed down a ravine and collected ponds. The ravine joins the White River. It is unknown river. There was no evidence that oil entered the river. The header valve was shut-in upon discovery of the leader.	esults of multiple completion on Well completion Report and Log form.) dates, including estimated date of starting any vertical depths for all markers and zones perti- rred East of W.V.F.U. Tank phone on March 21, 1984. p.m. Produced water and sery header and spilled from an s of oil and 3,000 barrels of ed in a series of collection if any water entered the spill. A burn permit was and the oil in the collection
obtained 3-21-84 from the Utah State Division of Health ponds was burned. The oil which did not burn was buried March 22, 1984.	

true and correct 18. I hereby certify that DATE March 27, 1984 Area Production Manager (This space for Federal or State office use) TITLE 1934

APR 5

Dec. 1973	Budget Bureau No. 42-R1424
ECEIVED UNITED STATES	5. LEASE
DEPARTMENT OF THE INTERIOR	<u>U-0806</u>
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
APR 2 5-1985	
SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME
(Do not use this form for proposals to drill or to deepen or plug back to a different	Wonsit Valley
GAS & MINING	8. FARM OR LEASE NAME
1. Oil gas control sther	Wonsits Valley Unit St/Fed
2. NAME OF OPERATOR	9. WELL NO.
GULF OIL CORPORATION ATTN R.W.HUWALDT	10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR	Wonsits Valley
P O BOX 2619, CASPER, WY 82602 2619	11. SEC., T., R., M., OR BLK, AND SURVEY OR
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	AREA
below.)	85. JJE. 1
AT SURFACE: AT TOP PROD. INTERVAL:	12. COUNTY OR PARISH 13. STATE
AT TOTAL DEPTH:	Uintah Utah
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE.	14. API NO.
REPORT, OR OTHER DATA	TE SUSTIGNE (CLICK)
	15. ELEVATIONS (SHOW DF, KDB, AND WD)
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	
FRACTURE TREAT	
REPAIR WELL	(NOTE: Report results of multiple completion or zone
PULL OR ALTER CASING	change on Form 9-330.)
MULTIPLE COMPLETE	
FRACTURE TREAT	·
(other) Blanket Sundry	

Form Approved.

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Per conversation between K. S. Aslesen & J. Sparger, on March 27, 1985, Temporary lined work pits will be used for all future casing repair work.

Subsurface Safety Valve: Manu. and Type	Set @ Ft.
18. I hereby certify that the foregoing is true and correct SIGNED TITLE AREA E	ENGINEER DATE
J.R.BUCEKthis space for Federal	or State office use)
APPROVED BY TITLE TITLE	DATE

Gulf Oil Exploration and Production Company

L. G. Rader PRODUCTION MANAGER - CASPER AREA

July 2, 1985

P. O. Box 2619 Casper, WY 82602

State of Utah
Division of Oil, Gas and Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

RECEIVED

JUL 05 1985

Gentlemen:

DIVISION UP 1

Effective July 1, 1985, the corporate name of Gulf Oil Corporation was changed to Chevron U.S.A. Inc. This will be applicable to all operations, agreements, contracts, documents, and permits of Gulf Oil Corporation in the area of and/or under your jurisdiction.

The attached information is being furnished to facilitate the name change of appropriate records under your authority, and submitted as our understanding of the procedure required to accomplish the change.

Please advise this office or the office listed on the attachments should additional information be needed.

Sincerely

L. G. Rader

KWR/mdb

Attachments



	Lease Name	<u>Field</u>	Section	Township	Range	County	<u>State</u>
	Wonsits Valley Unit #54	Wonsits WV	7	8\$	22E	Uintah	UT
	Wonsits Valley Unit #55	Wonsits WV	14	88	21E	Uintah	UT
	Wonsits Valley Unit #56	Wonsits WV	1	8S	21E	Uintah	UT
	Wonsits Valley Unit #57	Wonsits WV	2	8\$	21E	Uintah	UT
7	Wonsits Valley Unit #58	Wonsits WV	13	8\$	21E	Uintah	ŬŤ
_	Wonsits Valley Unit #59	Wonsits WV	14	8S	21E	Uintah	UT
Ŋ	Wonsits Valley Unit #6	Wonsits WV	7	85	22E	Uintah#	UT
1	Wonsits Valley Unit #60	Wonsits WV	15	8\$	21E	Uintah	UT
,	Wonsits Valley Unit #61	Wonsits WV	18	8\$	21E	Uintah [®]	UT
	'onsits Valley Unit #62	Wonsits WV	10	8S	21E	Uintah	UT
	bnsits Valley Unit #63	Wonsits WV	10	8S	21E	Uintah	UT
	Wonsits Valley Unit #65	Wonsits WV	15	8S	21E	Uintah	UT
	Wonsits Valley Unit #66	Wonsits WV	14	8\$	21E	Uintah	UT
	Wonsits Valley Unit #67	Wonsits WV	15	8\$	21E	Uintah	UT
	Wonsits Valley Unit #68	Wonsits WV	15	8S	21E	Uintah	UT
	Wonsits Valley Unit #69	Wonsits WV	18	8\$	22E	Uintah	UT
	Wonsits Valley Unit #70	Wonsits WV	13	8\$	21E	Uintah	UT
	Wonsits Valley Unit #71	Wonsits WV	15	88	21E	Uintah	UT
	Wonsits Valley Unit #72	Wonsits WV	16	88	21E	Uintah	UT
	Wonsits Valley Unit #73	Wonsits WV	16	8\$	21E	Uintah	UT
	Wonsits Valley Unit #74	Wonsits WV	16	8\$	21E	Uintah	UT
	Wonsits Valley Unit #75	Wonsits WV	16	8\$	21E	Uintah	UT
	Wonsits Valley Unit #78	Wonsits WV		8S	21E	Uintah	UT
	Wonsits Valley Unit #8	Wonsits WV	12	8\$		Uintah	UT
	Wonsits Valley Unit #80	Wonsits WV	23	8\$		Uintah	UT
	Wonsits Valley Unit #81	Wonsits WV				Uintah	UT
	hsits Valley Unit #82	Wonsits WV		8\$		Uintah	UT
	wonsits Valley Unit #83	Wonsits WV				Uintah	UT
	Wonsits Valley Unit #84-2	Wonsits WV				Uintah	UT
	Wonsits Valley Unit #85	Wonsits WV	12			Uintah	UT
	Wonsits Valley Unit #86	Wonsits WV					UT
	Wonsits Valley Unit #87	Wonsits WV				Uintah	UT
	Wonsits Valley Unit #88-2	Wonsits WV		8\$			UT
	Wonsits Valley Unit #89	Wonsits WV					UT
	Wonsits Valley Unit #9	Wonsits WV				Uintah	UT
	Wonsits Valley Unit #92	Wonsits WV					UT
	Wonsits Valley Unit #93	Wonsits WV					UT
•	Wonsits Valley Unit #94	Wonsits WV	11	88	21E	Uintah	UT
	,						

f06/27/85
leases gulf operated/file2

						approved.		
Form 3160-5	17	NITED ST	ATFS	SUBMIT IN TRIPLICA	TE* Expir	et Bureau N es August	√o. 10040135 31. 1985	
November 1983)	DEDADIM	ENT OF T	HE INTERIO	R (Other Instructions on verse side)			AND BERIAL NO.	•
Formerly 9-331)	BUREAU	OF LAND M	ANAGEMENT		U-022		14	-
CLIA	IDDY NOTIC	ES AND	REPORTS OF	N WELLS	li i	0804	OR TRIBE NAME	
(Do not use thi	s form for proposa	is to drill or to	deepen or plug bac IT-" for such prop	k to a different reservoir.		0004	COR	
1.	USE AFFEIGRA	1011 1011 1211			7. UNIT AG	REEMENT NA	як	-
OIL X CAS	OTHER					its Vall		-
2. NAME OF OPERATOR					** **		ley Unit St	tate Fe
Chevron U.S.	A. Inc.				9. WELL N	o.	ey onte or	ace re
		olorado	80201			#6		-
4. LOCATION OF WELL See also space 17 be	(Report location cle	arly and in acco	rdance with any St	ate requirements.*		AND POOL, OI	_	
At surface	,					its Val.		_
2090' FSL	1955' FWL (1	NE/4SW/4)				VET OR ARMA		
						7, T8S		
14. PARMIT NO.	15 25	15. ELEVATIONS	(Show whether Dr. R	T, GR, etc.)	12. COUNT	T OR PARISH	1	
43:041	<u>-15431</u>	<u> </u>	GR 5049'		Uint		Utah	
16.	Check Ap	propriate Box	To Indicate Na	ture of Notice, Report,	or Other Data			
	NOTICE OF INTENT	ION TO:	•	80	TROYER THEUDEBER	or:		
TEST WATER SHUT	-OFF P	CLL OR ALTER C.	SINO OKIE	WATER SHUT-OFF		BEPAIRING '	WELL	
FRACTURE TREAT		ULTIPLE COMPLE		FRACTURE TREATMENT		ALTERING C	11	
SHOOT OR ACIDIZE	X	BANDON*		SHOOTING OR ACIDIZING	G	ABANDONME	т*	
REPAIR WELL	نتت	HANGE PLANS		(Other) (Nork: Report r	esults of multiple	completion	on Well	
(Other) Add	Perforation	S (Classian	atata all partinent	Completion or Re	ecompletion Repor	t and rod to	rm.;	 n,r
17. DESCRIBE PROPOSED proposed work. nent to this work	If well is direction	nally drilled, giv	e aubaurface location	details, and give pertinent ons and measured and true	vertical depths fo	r all marker	s and zones per	11-
			+ho F-5 ca	nd, perforate the	e G-1. acid	ize the	G-1 and	
It is propo	sed to ceme	nt squeeze natch and	return the	well to production	on.		• =	
r-2, perior	m a casing	pacen and	recurn one					
	IRU. Kill		-					
	/D Well hea							
	ull product							
4. L	ocate and i	solate cs	g. leaks. 5 (5507'-552	(61)				
	ement squee erforate th	ze the r	(3307 -332 (6!=5576!)	.0 /•				
6. P	eriorate the	e G-1 (5566)	JO -JJ/O /: !=5576') ษ/1	.000 gal 15% HCL.				
7. A 8. A	cidize the	F-2 (5413)	ייי (5518 - י 2-5418') ש	2000 gal 15% HCL.				
9. P	erform csg.	natch and	i test.	6				
	un producti							
	I/D BOPE. N							
	DMO.	,		-D DV THE STAT	re .			
			ACCEPTE	ED BY THE STAT	1 1	3-F	BLM	
			OF UI	AH DIVISION OF			State	
			OIL, GA	AS, AND MINING	7		EEM	
	186		DATE: 2	3-3-87			r1g	
			Ex. John	K. Baja			ile	
				The second second				
18. f hereby certify	at the foregoing is	true and corre	ct /	7		7/0-	7/07	
SIGNED _	T) UUUS	DK	TITLE	Office Assist	ant DA	тю7/27	1/8/	

(This space for Federal or State office use) APPROVED BY ______CONDITIONS OF APPROVAL, IF ANY:

AUG

3 1987

Federal approval of this action is required before commencing operations.

*See Instructions on Reverse Side

Form 3160-5 November 1983) Formerly 9-331)

UNITED STATES SUBMIT IN TRIPLICATES DEPARTMENT OF THE INTERIOR CONTROL OF TH

Form approved.

Budget Bureau No. 1004-0135

Expires August 31, 1985

LEASE DESIGNATION AND SERIAL NO.

BUREAU OF LAND MANAGEMENT

U-022158 6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different Use "APPLICATION FOR PERMIT—" for such proposals.)	reservoir.
OIL X CAB WELL OTHER 2. NAME OF OPERATOR	7. UNIT AGREEMENT NAME Wonsits Valley
Chevron U.S.A. Inc.	8. FARM OR LEASE NAME
3. ADDRESS OF OPERATOR	WVFU
P. O. Box 599, Denver, Colorado 80201	9. WHIL NO.
4. LOCATION OF WELL (Report location clearly and in accordance with a first	6
See also space 17 below.) At surface	The state of the s
	Wonsits Valley
2,090' FSL, 1,955' FWL (NE,SW)	11. BEC., T., E., M., OR BLK. AND SURVEY OR ARMA
14. PERMIT NO. 1	S. 7, T8S, R22E
14. PERHIT NO. 15. 25 15. ELEVATIONS (Show whether DF, RT, GR, etc.) 5,049' GR	12. COUNTY OR PARISH 13. STATE Uintah Utah
Check Appropriate Box To Indicate Nature of Notice	- Cun
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF PULL OR ALTER CASING WATER SHU	
FRACTURE TREAT MULTIPLE COMPLETE FRACTURE T	BELOWER WALL
SHOOT OR ACIDIZE ABANDON* SHOOTING O	
REPAIR WELL CHANGE PLANS (Other)	Temporary Abandonment X
(Other) (Note Complete Proposed or Completed Operations (Clearly state all pertinent details, and give proposed work. If well is directionally drilled, give subsurface locations and measured nent to this work.)	: Report results of multiple completion on Well
WVFU #6 was evaluated for a possible casing patch and as follows: 1. MIRU Gudac Well Service on 9-25-87 N/D N/U DO	d temporarily abandoned on 10-12-87
1801ated Cagino lo	
 Broke down and swab tested F-5 perfs at 5,507'- with 200 sx cement. 	5,526'. Cement squeezed F-5 perfs
4. Drilled out cement to 5,549'. Recovered exist to 5,590', PBTD.	ing fish from hole. Cleaned out
5. Perforated G-1 at 5,566'-76' with 4 SPF, 90° phas	
o. Actuized G-1 Deris with 1 000 gale 159 ugt o	ing.
The cooled r-2 peris at 5 4131-5 4781	
8. Ran in hole with Lok-Set packer. Displace casing inhibited fluids. Set reshaust 5 of the control of the cont	wide his and the second
set packer at 5.0/5'.	3 - BLM
7. N/D BOPE. N/U tree.	3 - 5+0+0
10. Release rig and leave well temporarily abandoned P&A or convert to injection	pending decision to 1 - EEM
P&A or convert to injection.	1 - MKD
	3 - Dr1g.
	1 - Sec. 724-0
	1 - PLM
I hereby certify that be fortgoing in true and correct	1 - File
	The state of the s
SIGNED Office Assists	ant October 15, 1987
(This space for Federal or State office use)	
APPROVED BY	
CONDITIONS OF APPROVAL IF ANY:	DATIC

Form approved. Form 3760-5 November 1983) UNITED STATES Budget Bureau No. 1004-0135 IN TRIPLICATE Formerly 9-331) lustructions on Expires August 31, 1985 DEPARTMENT OF THE INTERIOR eree Hivision of 5. LEASE DESIGNATION AND SERIAL NO. BUREAU OF LAND MANAGEMENT U-022158 6. IF INDIAN, ACCOUTEE OR TRIBE NAME SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.

Use "APPLICATION FOR PERMIT" for such proposals.) 1 7. UNIT AGREEMENT NAME WELL X WELL OTHER Wonsits Valley NAME OF OPERATOR 8. FARM OR LEASE NAME Chevron U.S.A. Inc. WVFU 3. ADDRESS OF OPERATOR 9. WELL NO. P. O. Box 599, Denver, Colorado 80201 6 LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) 10. FIELD AND POOL, OR WILDCAT At surface Wonsits Valley 11. SEC., T., E., M., OR RLK. AND SURVEY OR AREA 2,090' FSL, 1,955' FWL (NE,SW) S. 7, T8S, R22E 14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.) 12. COUNTY OR PARISH | 13. STATE

(Norz: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.).

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

WVFU #6 was evaluated for a possible casing patch and temporarily abandoned on 10-12-87

- 1. MIRU Gudac Well Service on 9-25-87. N/D. N/U BOPE and test. Pull tubing. 2.
- Cleaned out to 5,549'. Isolated casing leaks from 232'-1,694'. Ran pipe inspection logs.
- 3. Broke down and swab tested F-5 perfs at 5,507'-5,526'. Cement squeezed F-5 perfs with 200 sx cement.
- Drilled out cement to 5,549'. Recovered existing fish from hole. Cleaned out to 5,590', PBTD. 5.
- Perforated G-1 at 5,566'-76' with 4 SPF, 90° phasing.
- Acidized G-1 perfs with 1,000 gals. 15% HCL. Swab tested. 6.

5,049' GR

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

Swab tested F-2 perfs at 5,413 -5,448'. 7.

he oregoing is true and correct

NOTICE OF INTENTION TO

- Ran in hole with Lok-Set packer. Displace casing with corrosion 8.
- 9.

16.

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

- inhibited fluids. Set packer at 5,075'. N/D BOPE. N/U tree.
- Release rig and leave well temporarily abandoned pending decision to 10. P&A or convert to injection.
- 3 BLM 3 - State
- 1 EEM
- 1 MKD 3 - Drlg.
- Sec. 724-C
- PLM

	r -	rile
and the second second		·1

SIGNED SOLUTION	TITLE Office Assistant	DATH October 15, 1987
(This space for Federal or State office use)		

APPROVED BY CONDITIONS OF APPROVAL, IF ANY:

TITLE

Uintah

SUBSEQUENT EMPORT OF :

Temporary Abandonment

Utah

REPAIRING WELL

ALTERING CABING

Thubby 4/6/89 Or. J. U.L Sec 7, T8 So, RAZE a pump jack pads - well nead line heater.

Form 3160-5 UNI	Γ΄ STATES		F	orm Approved
	ENT OF INTERIOR		Budget	Bureau No.1004-8135
BUREAU OF	LAND MANAGEMEN	Γ	5. Lease Designa U–022158	tion and Serial No.
Do not use this form for proposals to	AND REPORTS ON Verill or to deepen or reentry to a FOR PERMIT-" for such property.	different reservoir.	6. If Indian, Allotte UTE – OURAY	or Tribe Name
	N TRIPLICATE	Interchants of the	7. If Unit or CA. A	greement Designation
1. Type of Well OIL GAS		RESEAL L	WONSITS VALLE	ΞΥ
WELL X WELL	OTHER	UL -	8. Well Name and	No.
2. Name of Operator		MAY 1 6 1991	WVFU	#6
CHEVRON U.S.A.	INC		9. API Well No.	
3. Address and Telephone No.		DIVISION OF	43-04715437	
PO BOX 599 DENVER, CO. 8020	Attn: R.K. LACKEY (303)–930–3695	OIL GAS & MINING	10. Field and Poo WONSITS VALLE	ol, or Exploratory Area EY
4. Location of Well (Footage, Sec.,T.,R.,M.,	or Survey Description)		Ĺ	
2090' FSL, 1955' FWL (NE SW) SEC 7, T8S, R22E			11. County or Par Uintah Utah	ish, State
12. CHECK APPROPRIATE	E DOVANTO INDICATE MATU	DE OF NOTICE DEPORT OF O	THE DATA	
TYPE OF SUBMISSION	BOX(S) TO INDICATE NATO	RE OF NOTICE, REPORT, OR O TYPE OF ACTION		· · · · · · · · · · · · · · · · · · ·
		THE OF MOTION	•	
X Notice of Intent	Abandonment	Change of plans		
Subsequent Report Final Abandonment Notice	Recompletion Plugging Back	New Construction Non-Routine Fractu	rina	
, L	Casing Repair	Water Shut-Off	9	
	Altering Casing	X Conversion to Injecti	on	
		pliance, Add Perfs, RTI		
		ote: Report results of multiple completion or Recompletion Report and		
13. Describe Proposed or Completed Operations work. If well is directionally drilled give subsur 1) REPAIR CSG. LEAKS AS NEEDED 2) PERFORM CSG. PATCH @ +/-1900' 3) REPERF. F-5(5507-5526) 4) PERF. F-2(5392-5399) 5) ACIDIZE F-5, F-2,F-1 6) RIH W/ SIE SET TOP PKR. @ +/-5350 7) TEST FOR MIT/UIC COMPLIANCE	face locations and measured and	true vertical depths for all martkers	g estimated date of and zones pertine	of starting any proposed nt to this work.)*
3-EPA 3-BLM 1-Drig 3-STATE 1-REK 1-JRB 1-JLW 1-SEC724R 1-SEC 724C		Accepted by of Utah Divis Oil, Gas and Date: 5-12-	ion of Mining	-
14. I hereby certify that the foregoing is true Signed		G ENGINEER	Date	5/13/91
(This space for State office use)				
Approved by	Title — Fe	deral Approval of this	Date	
Conditions of Approval, if any:		tion is Necessary		
Title 18 U.S.C. Section 1001, makes it a crime for an or restitutions as to any matter within its jurisdiction		o any department or agency of the United State	es any false, fictitous o	r fraudulent statement

Form 3160-5 (June 1990)

representations as to any matter within its jurisdiction.

UNE ED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED Rudget Bureau No. 1004-0135

	Expires: March 31, 1993
5.	Lease Designation and Serial No.


SUNDRY NOTICES	AND	REPORTS	ON	WELL	S
SIMURY MUTICIO					

U-22158

Do not use this form for proposals to drill or t Use "APPLICATION FO	6. If Indian, Allottee or Tribe Name	
SUBMIT	IN TRIPLICATE	7. If Unit or CA, Agreement Designation Wonsits Valley Fed
1. Type of Well Oil Gas Well Well Other	8. Well Name and No.	
2. Name of Operator Chevron U.S.A. Inc.		9. API Well No. 43-047-15437
3. Address and Telephone No. P.O. Box 599, Denver, CO 8020		10. Field and Pool, or Exploratory Area Wonsits-Green River
4. Location of Well (Footage, Sec., T., R., M., or Survey Descri 2090' FSL, 1955' FWL Section 7, T8S, R22E	pron)	11. County or Parish, State Uintah, Utah
12. CHECK APPROPRIATE BOX	(s) TO INDICATE NATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent Subsequent Report	Abandonment Recompletion Plugging Back Casing Repair	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection
Final Abandonment Notice	Aktering Casing Other Status Report	Dispose Water (Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

This well has been temporarily abandoned due to high water production from the lower Green River. The well has been permitted to convert to injection.



3-BLM 3-State 1-Well File

DIVISION OF OIL GAS & MINING

14. I hereby certify that the foregoine is true and correct			a lialan
Signed J. J. Walson	Title Permit	Specialist	Date 2/18/92
(This space for Nederal or State office use)			
Approved by:	Title		Date
Conditions of approval, if any: Title 18 U.S.C. Section 1001, makes it a crime for any person known and the conditions of approval, if any crime for any person known and the crime for any pe	- Land willfully to make to	any department or agency of the United	States any false, fictitious or fraudulent statements or
Title 18 U.S.C. Section 1001, makes it a crime for any person kno	Wingly and willfully to make to	my department of egeneral contractions	



FEBRUARY 15, 1993

ANNUAL REPORT OF SHUT-IN WELLS RED WASH UNIT UINTAH COUNTY, UTAH

BUREAU OF LAND MANAGEMENT 170 SOUTH 500 EAST VERNAL, UT 84078

GENTLEMEN:

Enclosed, please find the annual report of shut-in wells in Red Wash Unit. If you have any questions, please call the above address.

Sincerely,

AREA OPERATIONS SUPERVISOR

sdmEnclosures

cc:

State of Utah

Department of Natural Resources Division of Oil, Gas and Mining 355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, UT 84180-1203

Buttram Energies, Inc. 6303 Waterford Boulevard, Suite 220 Oklahoma City, OK 73116

FEB 1 8 1993

DIVISION OF OIL GAS & MINING

Form 3160-5 UN (June 1990) DEPARTME BUREAU OF SUNDRY NOTICES Do not use this form for proposals to drill of	FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993 5. Lease Designation and Serial No. U-22158 6. If Indian, Allottee or Tribe Name		
Use "APPLICATION FO	OR PERMIT—" for such proposals		
1. Type of Well	T IN TRIPLICATE	7. If Unit or CA, Agreement Designation Wonsits Valley Fed. Unit	
Oil Gas Well Other		8. Well Name and No. WVFU #6	
2. Name of Operator Chevron U.S.A. Inc.		9. API Well No. 43-047-15437	
3. Address and Telephone No. P.O. Box 455, Vernal, Utah 84078 (8	01) 789-2442	10. Field and Pool, or Exploratory Area	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description 2090' FSL, 1955' FWL, S7-T8S-R22E	rtion)	Wonsits Valley-Grn. River 11. County or Parish, State Uintah, Utah	
12. CHECK APPROPRIATE BOX	(s) TO INDICATE NATURE OF NOTICE, REPORT	T, OR OTHER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION		
Notice of Intent Subsequent Report Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing Other	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	
13. Describe Proposed or Completed Operations (Clearly state all p subsurface locations and measured and true vertical depths for a This well is shut-in due to high water-oil ratio.	R	FEB 1 8 1993 DIVISION OF OIL GAS & MINING	
14. I hereby certify that the formacine is true and correct Signed	Tile Patroleun Enginus	Date <u>2/15/93</u>	
(This space for Federal or State office use)	Title	Date	
Approved by:	agly and willfully to make to any department or agency of the United States any fals		



FEBRUARY 15, 1993

ANNUAL REPORT OF SHUT-IN WELLS WONSITS VALLEY STATE/FEDERAL UNIT UINTAH COUNTY, UTAH

BUREAU OF LAND MANAGEMENT 170 SOUTH 500 EAST VERNAL, UT 84078

GENTLEMEN:

Enclosed, please find the annual report of shut-in wells in Red Wash Unit. If you have any questions, please call the above address.

Sincerely,

J.T. CONLEY

AREA OPERATIONS SUPERVISOR

sdm Enclosures

cc:

State of Utah

Department of Natural Resources Division of Oil, Gas and Mining

355 West North Temple 3 Triad Center, Suite 350

Salt Lake City, UT 84180-1203

RECEIVED
FEB 1 8 1993

DIVISION OF OIL GAS & MINING

Norm: 3160-5 v (June 1990)


UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED

Budget Bureau No. 1004-0135 Expires: March 31, 1993

. Lease Designation and Serial No.

SUNDRY NO Oo not use this form for proposals to drill or	U-22158	
- ·	TION FOR PERMIT" for such proposals	6. If Indian, Allottee or Tribe Name
SUBM	IT IN TRIPLICATE	7. If Unit or CA, Agreement Designation
Type of Well Oil Ges		Wonsits Valley Fed. Unit
X Well Well Other		8. Well Name and No. WVFU #6
Name of Operator CHEVRON U.S.A. PRODUCTION COMPANY		9. API Well No.
Address and Telephone No. P. O. BOX 455, VERNAL, UT 84078 (801) 781-43	02	43-047-15437 10. Field and Pool, or Exploratory Area
Location of Well (Footage, Sec., T., R., M., or Survey Description)		Wonsits Valley-Grn. River
2090' FSL, 1955' FWL, SEC. 7, T8S/R22E		Uintah, Utah
CHECK APPROPRIATE I	BOX(s) TO INDICATE NATURE OF NOTI	CE. REPORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE	OF ACTION
X Notice of Intent	X Abandonment	Change of Plans
	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	Other	Dispose Water
·		(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
 Describe Proposed or Completed Operations (Clearly state all pertiner give subsurface locations and measured and true vertical depths for all We propose to P&A the subject well per the attacl 	markers and zones pertinent to this work)	proposed work. If well is directsonally drilled,



WVFU #6 PLUGGING PROCEDURE

- 1. MIRU. ND WH AND NU BOPE.
- 2. RELEASE LOKSET PACKER AND HOT OIL WELL AS NEEDED. TOH WITH TUBING AND PACKER.
- 3. CLEAN OUT TO 5400' WITH BIT AND SCRAPER. DISPLACE WELLBORE TO ~3000' WITH 9.2 PPG BRINE.
- 4. SET CIBP AT ~5375' AND DUMP BAIL 35' OF CLASS H CEMENT ON TOP.
- 5. OIL SHALE INTERVAL ESTIMATED AT 3730-4060'. PERFORATE AT 4110' AND SET CICR AT 3730'. TIH, STING INTO RETAINER, SQUEEZE 130 SX. CLASS H CEMENT BELOW RETAINER, STING OUT AND SPOT 10 SX. CLASS H CEMENT ON TOP OF RETAINER. CIRCULATE CLEAN AND DISPLACE WELLBORE TO ~2000' WITH 9:2 PPG BRINE.
- 6. GREEN RIVER TOP ESTIMATED AT 2586'. PERFORATE 2636' AND SET CICR AT 2586'. TIH, STING INTO RETAINER. SQUEEZE 30 SX. CLASS H CEMENT BELOW RETAINER, STING OUT AND SPOT 10 SX. CLASS H CEMENT ON TOP OF RETAINER. CIRCULATE CLEAN AND DISPLACE WELLBORE WITH 9.2 PPG BRINE.
- 7. PERFORATE AT 300' AND ESTABLISH CIRCULATION DOWN CASING AND UP THE 5-1/2" X 8-5/8" ANNULUS. CEMENT SAME WITH 100 SX.
- 8. CUT OFF WELLHEAD AND INSTALL DRY HOLE MARKER.
- RDMO. NOTIFY OPERATIONS TO REHABILITATE LOCATION.

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

AUG 2 5

FORM APPROVED sudget Bureau No. 1004-0135

Expires: March 31, 1993

	OF LAND MANAGEMENT	Expires: March 31, 1993		
SUNDRY NO Do not use this form for proposals to drill or	TICES AND REPORTS ON WEIGHS. OF O to deepen or reentry to a different reservoir	IL, GAS & TINTING attorn and Serial No. U-22158		
Use "APPLICAT	TION FOR PERMIT" for such proposals	6. If Indian, Allottee or Tribe Name		
SUBM.	IT IN TRIPLICATE	7. If Unit or CA, Agreement Designation		
Oil Gas		WONSITS VALLEY FED. UNI		
X Well Well Other		8. Well Name and No.		
2. Name of Operator CHEVRON U.S.A. PRODUCTION COMPANY		9. API Well No.		
3. Address and Telephone No.				
11002 EAST 17500 SOUTH, VERNAL, UT 84078-8526 (801) 781-4302		43-047-15437 10. Field and Pool, or Exploratory Area		
4. Location of Weil (Footage, Sec., T., R., M., or Survey Description)		Wonsits Valley-Grn. River		
2090' FSL, 1955' FWL, SEC. 7, T88/R22E		UINTAH, UTAH		
12. CHECK APPROPRIATE D				
CHECK APPROPRIATE B	OX(s) TO INDICATE NATURE OF NOTICE	, REPORT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF	ACTION		
Notice of Intent	X Abandonment	Change of Plans		
	Recompletion	New Construction		
X Subsequent Report	Plugging Back	Non-Routine Fracturing		
	Casing Repair	Water Shut-Off		
Final Abandonment Notice	Altering Casing	Conversion to Injection		
	Other	Dispose Water		
		(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)		
Describe Proposed or Completed Operations (Clearly state all pertunent of give subsurface locations and measured and true vertical depths for all managements.)	details, and give pertinent dates, including estimated date of starting any propositions and some pertinent to the work.			
Subject well was P&A'd between 07/21/94 and 07/21	•			
	//74 as follows:			
3. Dump bailed 35' cement on CIBP at 5375'.	op of CIBP at 5375'. Spot brine from 5375' to 4000'.			
 Perforated at 4110' using 4 JSPF. RIH with CICR and set at 3711'. Pumped 130 sx. Class H cement below CICR, stung out and spotted 10 sx. on top. Spot brine from 3621' to 2700'. 				
6. Perforated at 2702' using 4 JSPF. RIH with CICR and set at 2547'. Pumped 30 sx. Class H cement below CICR, stung out and spotted 10 sx. on top. 7. Perforated at 286' using 4 JSPF. Attempted circulation: unsuccessful. Pumped 50 sx. Class H cement. Set for 2 hours.				
8. Perforated at 236' with 4 JSPF. Established circ	ulation down casing and up annulus. Pumped 120 sx. Cl	iet for 2 hours. ass H cement to surface, hole stood full.		
9. Cut off wellhead, installed P&A marker and notified Operations to reclaim location.				
All voids between cement plugs were filled with 9.2 ppg brine. P&A operations were witnessed by Alan Walker with the BLM.				
1				
14. Thereby certain that the foreseiners true and expect.				

	UNITED STATES RTMENT OF THE INTERIOR U OF LAND MANAGEMENT	FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993		
DEC 6 1994 SUNDRY NO De not use this form for proposals to drill or	Lease Designation and Serial No. U-22158			
DIV OF OIL, GAS & MINING "APPLICAT	ION FOR PERMIT" for such proposals	6. If Indian, Allottee or Tribe Name		
SUBM	7. If Unit or CA, Agreement Designation			
Type of Well Oil Gas	WONSITS VALLEY FED. UNIT			
X Well Well Other	8. Well Name and No. WVFU #6			
2. Name of Operator CHEVRON U.S.A. PRODUCTION COMPANY	9. API Well No.			
3. Address and Telephone No.	43-047-15437 10. Field and Pool, or Exploratory Area			
11002 EAST 17500 SOUTH, VERNAL, UT 84078 Location of Well (Footage, Sec., T., R., M., or Survey Description)	Wonsits Valley-Grn. River			
2090' FSL, 1955' FWL, SEC. 7, T8S/R22E	11. County or Parish, State UINTAH, UTAH			
12. CHECK APPROPRIATE B	OX(s) TO INDICATE NATURE OF NOTICE, RE	PORT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACT	NOT		
Notice of Intent	Abandonment	Change of Plans		
-	Recompletion	New Construction		
Subsequent Report	Plugging Back	Non-Routine Fracturing		
	Casing Repair	Water Shut-Off		
Y Final Abandonment Notice	Altering Casing	Conversion to Injection		
X Final Abandonment Notice	Other	Dispose Water		
		(Note) Report results of multiple completion on Well		
		Completion or Recompletion Report and Log form.)		
13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work) Subject well was reclaimed as per BLM and Tribal surface specifications.				
14. I hereby sertify that the foregoing is trucked correct. Signed (This space for Federal or State office use)	Title Operations Assistant	Date 12/12/94		
Approved by:	Title	Date		
Conditions of approval, if any				
Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly representations as to any matter within its jurisdiction.	and willfully to make to any department or agency of the United States any fa	ise, fictitious or fraudulent statements or		